



Digital Solutions

Phil Iles

Sales Manager – UK & EIRE

www.possum.co.uk

Intro to Possum



- Founded 1961 – One of the oldest AT providers.
- *Patient Operated Selector Mechanism* – P.O.S.M.
- Possum – Latin for “I am able” or “I can”
- 2009 Winner of the Queens Award for Innovation
- Privately Owned, Medium Size British Company.
- Head Office, Aylesbury. Manufacturing Plant West Midlands
- Strong partnerships with equipment suppliers such as Neat Electronics, GTX Corp and Danish Care.

Digital Solutions – Novo Carephones – Always connected.....

- Compatible with all UK & European ARC Software
 - SCAIP enabled with capability to “rollover” on failure to protocols such as CPC and Homephone
- True roaming Sim Cards – Not network steered
- Proven technology - 500,000 units sold worldwide
- Easy to Install & Update – Firmware & Configuration can be updated “Over the Air”
- Up to 2 weeks battery back up on mains failure
- Superior Audio Quality
- Operates on EU dedicated Social Care alarm frequency
 - All old and new sensors work with our digital units



Digital Solutions – Novo Carephones

➤ Different versions available:


■ Novo IP/GSM

- Digital Connectivity via ethernet connection or mobile network (2G)
- Failsafe communication in the event of failure
 - IP route (router connection) onto 2G network route for SCAIP communication
 - Reverting onto GSM network using analogue protocols if other methods fail

■ Novo PSTN/GSM

- Digital Connectivity via mobile network (2G)
- Failsafe communication in the event of transmission path failure
 - SCAIP communication over 2G network
 - Reverts onto PSTN/GSM network using analogue protocols if digital connectivity fails.

Notes: All Novo units can be defined to use an embedded transmission path in any order specified.
4G units will also be available soon.



Digital Solutions – Novo Carephones IP/GSM (BLE)

➤ Novo IP/GSM (BLE)


- Same features as Novo IP/GSM unit
- Encrypted communication with NHS Fast Healthcare Interoperability Response (FHIR servers)
- Portal available for recording and storing of clinical measurements for review
- Bluetooth connectivity for health care peripherals such as:
 - Blood pressure monitors
 - Pulse/ Oximeters
 - Thermometers
 - Weighing scales
 - Blood sugar (coming soon)



Carephone Management Portal

The Carephone Management Portal (CMP):

- A cloud-based facility which allows personnel to monitor the performance and remotely control functionality of installed Novo digital carephone products.
 - Management tool for monitoring installed units
 - “Over the Air” programming of firmware and configuration
 - Remote adjustment of timings can be applied to peripheral devices
 - Full alarm, configuration and event list history stored
 - Management reports created and emailed detailing failures within specific groups



What we have found?

- Going digital is a learning curve for us all
- The resilience of SCAIP as a transmission method is far better than relying on older analogue protocols over GSM networks
- Sim card choice is a key decision to make – Ensure true roaming solution